SONY

医学影像

4K 手术显示器

Sony 4K 2D LCD 医用显示器，27、31 和 55 英寸。

LMD-X2705MD / LMD-X310MD / LMD-X550MD



Online
raoufholdings.com

Phone
+98 21 9100 9416

Email
info@raoufholdings.com

Overview

Sony LMD-X 系列是手术用 4K LCD 医用显示器：LMD-X2705MD（27 英寸）、LMD-X310MD（31 英寸）和 LMD-X550MD（55 英寸）。

概览

制造商 **Sony · 日本**	型号 **LMD-X2705MD / LMD-X310MD / LMD-X550MD**
Category **医学影像**	产品编号 **RAOUF-SONY-4K-MEDICAL-MONITORS**

配置

LMD-X2705MD，27 英寸 | LMD-X310MD，31 英寸 | LMD-X550MD，55 英寸

Specifications

显示

面板	a-Si TFT 有源矩阵 LCD，LED 背光（三款型号均是）
LMD-X2705MD 尺寸/分辨率	对角线 684 mm（26.93 英寸）；3,840 × 2,160
LMD-X310MD 尺寸/分辨率	对角线 789.06 mm（31 1/8 英寸）；4096 × 2160
LMD-X550MD 尺寸/分辨率	对角线 1387.8 mm（54 3/4 英寸）；3840 × 2160
亮度（面板，典型值）	LMD-X2705MD：800 cd/m²；LMD-X310MD：770 cd/m²；LMD-X550MD：620 cd/m²
对比度	LMD-X2705MD：1000:1；LMD-X310MD：1450:1；LMD-X550MD：1400:1

输入

视频输入	LMD-X2705MD：HDMI 2.0b、DVI-D、3G/HD/SD-SDI、DisplayPort 1.2（×2）；LMD-X310MD/LMD-X550MD：HDMI、DVI-D、3G/HD/SD-SDI（BNC ×5）

电气参数

电源要求	LMD-X2705MD：AC 100–240 V，50/60 Hz 或 DC 26 V；LMD-X310MD：DC 26 V，经 AC-300MD 适配器（AC 100–240 V，50/60 Hz）；LMD-X550MD：AC 100–240 V，50/60 Hz
功耗（最大）	LMD-X2705MD：约 149 W；LMD-X310MD：约 180 W；LMD-X550MD：约 290 W

尺寸

尺寸（宽×高×深）	LMD-X2705MD：658.8 × 426.8 × 80 mm；LMD-X310MD：753.8 × 456.4 × 69.3 mm；LMD-X550MD：1264.6 × 771.5 × 85.5 mm（约）
重量	LMD-X2705MD：约 8.8 kg（不含支架）；LMD-X310MD：约 11.8 kg；LMD-X550MD：约 35.2 kg
VESA 安装	LMD-X2705MD：100 × 100 mm；LMD-X310MD：100 × 100/100 × 200 mm；LMD-X550MD：200 × 200/300 × 300 mm

About the manufacturer

Sony 医疗业务隶属这家日本电子集团，为医院提供可视化和影像记录设备，产品包括 4K 和 3D 手术显示器、医用级视频记录仪以及超声和内镜图像打印机。

Why Raouf Holdings

1. **Installed and commissioned**
   我们的工程师可将系统送达伊朗各地并完成安装。
2. **Training for your team**
   为医师及操作人员提供实操培训。
3. **十年服务**
   至少十年售后服务，涵盖保修期内外。
4. **Genuine parts, nationwide**
   Spare parts on site and more than 100 representatives across Iran.

Request a quotation

Our sales team replies with the configuration, delivery and installation for your centre.

Online

raoufholdings.com

Phone

+98 21 9100 9416

Scan for this product online

Information as published on raoufholdings.com on the date above; specifications may change. Pictures may show optional equipment.